



NOBLES[®]
ENGINEERED BY TENNANT COMPANY

PRODUCT CATALOG



Built to be **tough.**
Made to be **easy.**



Built to be **tough**. Made to be **easy**.

It began a half century ago in Saint Paul, Minnesota. Back then, we made products for the military that were reliable, durable and easy to use. These products were built to be tough, made to be easy. Since that time our product line has evolved, but our commitment to these standards, created long ago, has remained the same.

Throughout the '80s and '90s, Nobles grew into a market leader, with the most easy-to-use, innovative and well-built cleaning machines in the industry. The designs were simple, and well engineered, with what was at that time, the new concept of extensive use of rotomold polyethylene housings. It was unbeatable.

Today, our products are still built to be tough, made to be easy. This tradition is the driving force that's guided us through every decision we've made and every machine we've built. It's our legacy, and it's not something we're about to change.

Innovations

Changing how the world cleans.

Nobles industry-changing technologies offer a new approach to maintaining clean, safe and healthy environments. Our innovations like ec-H2O NanoClean®, *ReadySpace*®, and IRIS® Asset Manager technologies provide the ideal solution for your specific cleaning needs.



ec-H₂O[®] - Electrically Converted Water

ec-H₂O NanoClean[®] technology electrically converted water is created by an on-board e-cell that generates millions of very tiny microscopic bubbles known as nanobubbles that promote the cleaning efficacy of the solution.

This next generation solution offers the same great benefits of the first generation and now cleans better and cleans more soils in more applications. The name NanoClean, refers to the generation of nano-scale bubbles that are an important part of the cleaning mechanism.



READYSPACE[®] - More than clean, it's *ReadySpace*[®]

Carpets cleaned with ReadySpace[®] technology are dry and ready for foot traffic in 30 minutes or less. Reopen rooms sooner and keep carpeted spaces beautifully clean and attractive. With ReadySpace[®], you achieve new levels of success.



IRIS[®] Asset Manager

IRIS[®] ASSET MANAGER - offers intelligent insights and key performance metrics to help manage and monitor your machines and make informed decisions to drive your cleaning operations forward.

No-nonsense scrubbers. For no-nonsense jobs.



Speed Scrub® Rider



Simple, easy-to-use rider scrubber for compact areas

- **cleaning path width:**
disk: 26 in / 650 mm
cylindrical: 32 in / 800 mm
- **tanks:** 29 gal / 110 L solution and recovery
- **brush motors:**
disk: 0.6 hp / 0.45 kW
cylindrical: 0.75 hp / 0.5 kW
- **brush speed:**
disk: 225 rpm
cylindrical: 1500 rpm
- **down pressure:** up to 160 lb / 73 kg
- **battery run time:** up to 4.5 hours on one charge
- easy to clean Hygenic® tanks
- **low sound levels:**
disk: 67 dBA
cylindrical: 69 dBA



Speed Scrub® 350



Great maneuverability and best-in-class productivity in a durable, ergonomically designed, stand-on scrubber

- **cleaning path width:**
single disk: 20 in / 500 mm
dual disk: 24 in / 600 mm
- **tanks:**
solution: 14.1 gal / 53 L
recovery: 18.4 gal / 70 L
- **vacuum motor:** 24 VDC, 0.62 hp / 0.46 kW
- **down pressure:** up to 91 lb / 41 kg
- **battery run time:** up to 4.0 hours on one charge based on machinehead version
- **low sound levels:**
single disk: 59.7 to 63.7 dBA
dual disk: 61.3 to 64.5 dBA



Speed Scrub® 500



Delivers effective cleaning results anytime – every time

- **cleaning path width:**
dual disk: 26, 28, 32 in / 650, 700, 800 mm
cylindrical: 28 in / 700 mm
orbital: 28 in / 710 mm
- **tanks:**
solution: 22.5 gal / 85 L
recovery: 27 gal / 102 L
- **vacuum motor:** 24 VDC, 0.46 hp / 0.34 kW
- **waterlift:** 34 in / 864 mm
- **battery run time:** up to 4.5 hours on one charge
- **low sound levels:**
dual disk: 67.4 dBA
cylindrical: 68.3 dBA
orbital: 66.9 dBA



Speed Scrub® 300



High performance, consistent results on virtually any hard surface

- **cleaning path width:**
single disk: 17 in / 430 mm (pad assist or self-propel); 20 in / 500 mm (pad assist or self-propel)
dual disk: 24 in / 600 mm (self-propel)
cylindrical: 20 in / 500 mm (self-propel)
orbital: 20 in / 500 mm (self-propel)
- **tanks:**
solution: 11 gal / 42 L
recovery: 14 gal / 53 L
- **vacuum motor:** 24 VDC, 0.6 hp / 0.47 kW
- **waterlift:** 34.5 in / 876 mm
- **battery run time:** up to 3.8 hours on one charge based on machine head version
- **sound level:**
single disk: 67 dBA
dual disk: 67.7 dBA
cylindrical: 68.7 dBA
orbital: 67.5 dBA

Built to be **tough**. Made to be **easy**.



Speed Scrub® 15 inch / Speed Scrub® 15 inch battery

Powerful deep cleaning results in small spaces

- **cleaning path width:** 15 in / 380 mm
- **tanks:**
 - corded – solution: 3.0 gal / 11.4 L
 - corded – recovery: 4.5 gal / 17.0 L
 - battery – solution: 2.5 gal / 9.5 L
 - battery – recovery: 3.4 gal / 12.9 L
- **down pressure:** 38 lb / 17 kg
- **waterlift:** 25 in / 635 mm
- **power cord:** 50 ft / 15 m
- **battery run time:**
 - up to 60 minutes (lithium-ion) /
 - up to 45 minutes (AGM)
- **sound level:**
 - corded – 72 dBA
 - battery – 68 dBA



i-mop XL / i-mop XXL

Performance of a scrubber with the mobility of a mop

- **cleaning path width:** 18 in / 46 cm | 24 in / 62 cm
- **practical productivity:** up to 20,000 ft² per hr / up to 1,800 m² per hr depending on model
- **tanks:**
 - solution: 1 gal / 4 L | 1.25 gal / 5 L
 - recovery: 1.5 gal / 6 L | 2 gal / 8 L
- **down pressure:** 48.4 lb / 22.5 kg | 70.4 lb / 32 kg
- **battery type:** Lithium Ion
- **battery run time:** 70 min

Low-maintenance **sweepers**. High-performance results.



Scout™ 9

Large battery walk-behind sweeper with TwinMax™ sweeping technology provides maximum versatility for both indoor and outdoor environments

- **cleaning path width:** 35 in / 900 mm
- **hopper capacity:** 2.2 ft³ / 60 L
- **on-board battery w/charger:** 12V / 105 amp
- **battery run time:** 3 hours
- **filtration:** 99.97 @ .3 microns
- **sound level:** 62 dBA



Scout™ 5

Compact battery walk-behind sweeper with TwinMax™ sweeping technology provides maximum versatility for both indoor and outdoor environments

- **cleaning path width:** 24 in / 620 mm
- **hopper capacity:** 1.3 ft³ / 37 L
- **on-board battery w/charger:** 12V / 105 amp
- **battery run time:** 3.5 hours
- **filtration:** 99.97 @ .3 microns
- **sound level:** 62 dBA



Scout™ 3

Manual push sweeper provides anytime, anywhere sweeping with no batteries to recharge or cords to plug in

- **cleaning path width:** 34 in / 870 mm
- **hopper capacity:** 1.8 ft³ / 50 L
- **equipped with TwinMax™ sweeping technology**
- **quiet, cord-free sweeping**

Reliable **extractors.**

Done right, done fast, every time.



Strive® Rider with ReadySpace®

ReadySpace® plus deep extraction: unbeatable dual-technology carpet cleaning

- carpets are clean, dry, and ready for use in less than 30 minutes with ReadySpace®
- **cleaning path width:** 28 in / 70 mm
- **tanks:**
solution: 32 gal / 121 L
recovery: 28 gal / 106 L
- piston design pump, for proper flow and pressure, rated at 250 psi maximum
- **vacuum motor:** dual 0.6 hp / 0.45 kW
- **productivity:**
ReadySpace®: up to 13,000 ft² / 1,208 m²/hr
extraction: up to 7,500 ft² / 700 m²/hr
- **battery run time:** 3 hours on one charge
- **sound level:** 73 dBA



Falcon™ Ultra B

Versatile and powerful enough to clean medium and large spaces quickly

- compact and maneuverable battery operated machine
- **cleaning path width:** 22 in / 560 mm
- **tanks:** 17 gal / 64 L solution and recovery
- **vacuum motor:** 1 hp / 0.75 kW, 2-stage
- **batter powered:** 24 volt (two 12 volt)
- **waterlift:** 81 in / 2,060 mm
- **solution flow:** 100 psi, 1.2 gal / 4.5 L per minute
- **battery run time:** up to 4 hours on one charge
- **sound level:** 72 dBA



Falcon™ 2800 Plus

Self-propelled extractor with dual modes to meet your unique carpet cleaning challenges

- **cleaning path width:** 22 in / 560 mm
- **tanks:**
solution: 28 gal / 106 L
recovery: 18 gal / 68 L
- **vacuum motor:** 2 hp / 1.49 kW, 3-stage
- exceptionally designed with rear-mounted scrub deck
- **brush speed:** 1,200 rpm
- **solution flow:** 100 psi, 1.2 gal / 4.5 L per minute
- comes with onboard spray wand
- **power cord:** 75 ft / 23 m
- **sound level:** 72 dBA

Built to be **tough**. Made to be **easy**.



Strive® with ReadySpace®

One machine with dual technologies – extraction and patented ReadySpace®, for all your carpet cleaning needs

- carpets are clean, dry, and ready for use in less than 30 minutes with ReadySpace®
- **cleaning path width:** 22 in / 560 mm
- **tanks:** 21 gal / 72 L solution and recovery
- **vacuum motor:** two 0.64 hp / 0.48 kW, 3-stage
- clean effectively on up to a 3 degree angle
- **brush/roller speed:** 400 rpm
- **waterlift:** 120 in / 3,050 mm
- **solution flow:** 100 psi / 6.9 bar, 1 gal / 3.8 L per minute
- **battery run time:** 2.5 hours on one charge
- **sound level:** 72 dBA



EX-SC-1020P

Push-forward design with excellent extraction system for consistent cleaning results

- **cleaning path width:** 20 in / 500 mm
- **tanks:**
solution: 10 gal / 38 L
recovery: 14.5 gal / 55 L
- **vacuum motor:** 1.8 hp / 1.34 kW, 3-stage
- **brush motor:** 1,200 rpm
- **waterlift:** 137 in / 3,480 mm
- **solution flow:** 100 psi / 6.9 bar, 1 gal / 3.8 L per minute
- **power cord:** 50 ft / 15 m (detachable)
- **sound level:** 80 dBA



EX-SC-1020

Consistent cleaning results with pull-back operation, big tanks and exceptional extraction system

- **cleaning path width:** 20 in / 510 mm
- **tanks:**
solution: 10 gal / 38 L
recovery: 14.5 gal / 55 L
- **vacuum motor:** 1.8 hp / 1.34 kW, 3-stage
- **brush motor:** 1,380 rpm
- **solution flow:** 100 psi / 6.9 bar, 1 gal / 3.8 L per minute
- **power cord:** 50 ft / 15 m (detachable)
- **sound level:** 78 dBA



EX-SC-716

Pull-back operation with heavy-duty brush motor and powerful extraction system

- **cleaning path width:** 16 in / 410 mm
- **tanks:** 7 gal / 26 L solution and recovery
- **vacuum motor:** 1.66 hp / 1.24 kW, 3-stage
- **brush motor:** 1,800 rpm
- **solution flow:** 100 psi / 6.9 bar, 1 gal / 3.8 L per minute
- low-profile design easily cleans under counters
- **power cord:** 50 ft / 15 m (detachable)
- **sound level:** 77 dBA

Reliable extractors.

Done right, done fast, every time.



EX-SC-412

Compact and maneuverable extractor ideal for rental applications

- **cleaning path width:** 12 in / 300 mm
- **tank:** 4 gal / 15 L recovery tank
- **vacuum motor:** 1.5 hp / 1.12 kW, 2-stage
- **brush motor:** 1,200 rpm
- **waterlift:** 91.5 in / 2,320 mm
- **solution flow:** 60 psi / 4.1 bar, 0.5 gal / 1.9 L per minute
- **power cord:** 25 ft / 8 m
- **sound level:** 72 dBA



Shown with Titanium wand

EXPLORER® H1/H2/C2/H5

Carpet extraction high-traffic areas

- Machines with Titanium wand (optional) are CRI Gold certified, and H5 is CRI certified with Orbio solution
- **tanks:**
solution: 15 gal / 57 L
recovery: 13.5 gal / 51 L
- onboard heater: H1, H2, and H5 only
- **solution flow:**
H1: 120 psi / 8.3 bar
H2/C2: 220 psi / 15.2 bar
H5: 500 psi / 34 bar
- **waterlift:** 137 in / 3,480 mm
- **power cord:** 25 ft / 8 m
- **sound level:** 81 dBA



EX-CAN-10

Dependable extractor enabling worry free cleaning with a compact, portable design

- 13 in / 330 mm floor tool with three spray jets and stainless steel wand/shoe
- **tank:**
solution: 10 gal / 38 L
recovery: 14.5 gal / 55 L
- **vacuum motor:** 1.66 hp / 1.24 kW, 3-stage
- **waterlift:** 137 in / 3,480 mm
- **solution flow:** 100 psi / 6.9 bar, 1 gal / 3.8 L per minute
- **power cord:** 25 ft / 8 m
- **sound level:** 78 dBA



Strive® Compact with ReadySpace®

Deliver clean, dry small carpeted spaces in 30 minutes or less

- small, ultra low-profile design cleans small, hard-to-reach spaces
- **cleaning path width:** 15 in / 380 mm
- **tanks:** 5 gal / 19 L solution and recovery
- **roller speed:** 450 rpm
- **roller motor (2):** 0.3 hp / 0.22 kW
- **vacuum fan:** 2-stage, 1.2 hp / 0.89 kW
- **waterlift:** 86 in / 2180 mm
- **solution pump pressure:** 65 psi / 4.48 bar
- **power cord:** 50 ft / 15 m
- **sound level:** 69 dBA

Built to be **tough**. Made to be **easy**.



Speed EX*

Powerful deep cleaning results in small spaces

- small, ultra low-profile design cleans small, hard-to-reach spaces
- **cleaning path width:** 15 in / 380 mm
- **tanks:** 5 gal / 19 L solution and recovery
- **brush speed:** 1200 rpm
- **brush motor:** 0.4 hp / 0.30 kW
- **waterlift:** 86 in / 2180 mm
- **power cord:** 50 ft / 15 m
- **sound level:** 69 dBA



EX-SPOT-2

Spot clean a variety of soft surfaces with this portable spotter extractor

- **tanks:**
 - solution: 2 gal / 8 L
 - recovery: 1.5 gal / 5.7 L
- **vacuum motor:** 1.12 hp / 0.84 kW, 2-stage
- 120 V solution pump
- 30 psi / 2.1 bar pump pressure
- 8 ft / 2.4 m vacuum and solution hoses
- **power cord:** 25 ft / 8 m
- **sound level:** 78 dBA

Simple floor machines and burnishers. Making hard work a lot easier.



SpeedGleam[®] Rider

Outstanding performance, productivity, and indoor environmental quality

- **burnishing path width:** 24 in / 610 mm, 27 in / 686 mm
- **motor:** 4 hp / 2.58 kW
- Free-floating head for excellent pad to floor contact
- **pad rotation:** 1500-1600 rpm
- **on-board charger**
- **battery run time:** up to 3 hours (lead acid)
- **sound level:** 69 dBA



SpeedGleam[®] 5 / SpeedGleam[®] 7

IRIS (SG7 only)

Get propane-like gloss results with these battery operated walk-behind burnishers

- **burnishing path width:**
SG5: 20 in / 510 mm
SG7: 24, 27 in / 610, 690 mm
- **motor:** SG5: 2.8 hp max / 2.1 kW
SG7: 3.6 hp max / 2.6 kW
- **pad rotation:** SG5: 2,100 rpm
SG7: 1,875 rpm
- **on-board charger**
- **battery run time:** up to 2.5 hours on one charge
- **sound level:**
Passive: 65 dBA
Active: 63-64 dBA



BR-2000-DC

Achieve consistent results on uneven floors with the patented free-floating head

- **burnishing path width:** 20 in / 510 mm
- **motor:** 1.5 hp / 1.12 kW
- **pad rotation:** 2,000 rpm "on the floor"
- flexible dust skirt provides excellent dust control
- Insta-Adjust™ adjustable and folding handle
- low vibration and noise
- **power cord:** 75 ft / 23 m, safety yellow
- **sound level:** 66 dBA



BR-1600-NDC

Return shine to finished floors with this durable burnisher

- **burnishing path:** 20 in / 510 mm
- **motor:** 1.5 hp / 1.12 kW
- **pad rotation:** 1600 rpm
- twist grip operation with safety locks
- **power cord:** 75 ft / 23 m, safety yellow
- **sound level:** 70 dBA



FM-17-SS / FM-20-SS / FM-20-DS / Speed-SQ 14 Orbital

Polish, scrub, and strip with the best-backed floor machine in the industry

- **available models:** 17, 20 in / 430, 510 mm | orbital 14 in x 20 in / 356 mm x 510 mm
- **pad/brush rotation:**
17, 20 single speed: 175 rpm
20 dual speed: 185 rpm scrub speed;
330 rpm buff speed
Orbital: 1,740 rpm scrub speed
- **motor:** 1.5 hp / 1.12 kW heavy-duty
- corrosion proof roto-molded polyethylene construction (excludes Speed-SQ 14)
- **power cord:** 50 ft / 15 m
- **sound level:**
60 dBA, single speed
71 dBA, dual speed
<70 dBA, Orbital

Lightweight Vacuums.

For heavy-duty cleaning.



V-DMU-14

This dual motor vac has low sound levels, and powerful pick-up

- **cleaning path widths:** 14 in / 360 mm
- **vacuum weight:** 24 lb / 11 kg
- **vacuum motor:** 1.85 hp / 2.22 kW
- **brush speed:** 4,250 rpm
- **vacuum bag capacity:** 3.8 qt / 3.6 L
- **filtration:** HEPA filter
- **vacuum hose:** 15 ft / 4.57 m (4.1 stretch)
- **power cord:** 50 ft / 15 m
- **sound level:** 70 dBA



V-SMU-14

CRI Silver and HEPA filtration performance standard. Engineered for ruggedness at a great price!

- **cleaning path width:** 14 in / 360 mm
- **vacuum weight:** 14.5 lb / 6.6 kg
- **filtration:** 3-stage HEPA standard
- **power cord:** 50 ft / 15 m
- **sound level:** <70 dBA
- **standard accessories:** telescopic aluminum with 4:1 stretch hose, on-board crevice tool wand, and dusting brush



V-LWU-13 corded / Independence battery

CRI Gold vacuum (corded) and CRI Bronze (battery) with low sound levels and powerful pick-up

- **cleaning path widths:** 13 in / 330 mm
- **vacuum weight:**
corded: 8 lb / 3.6 kg
battery: 11 lb / 5 kg
- **vacuum motor:**
corded: 1.6 hp / 1.19 kW
battery: 2 hp / 1.53 kW
- **filtration:** HEPA filter
- **bag capacity:**
corded: 11.3 qt / 10.7L
battery: 7.6 qt / 7.25 L
- **power source:**
corded: 50 ft / 15 m
battery: 44 VDC / 2.9 Ah lithium ion
- **sound level:** < 70 dBA



V-WA-30

Clean faster with our super-wide cleaning path vacuum

- **cleaning path width:** 30 in / 760 mm
- **vacuum weight:** 95 lb / 43.09 kg
- **vacuum motor:** two 1 hp / 0.75 kW
- **brush speed:** 1800 rpm
- **bag capacity:** 1.6 bushel, 2.0 ft³ / 0.06 m³
- **waterlift:** 71 in / 1,804 mm
- **power cord:** 75 ft / 23 m
- **sound level:** <70 dBA

Built to be **tough**. Made to be **easy**.



V-WA-26

A heavy-duty vacuum to get the job done

- **cleaning path width:** 26 in / 660 mm
- **vacuum weight:** 44 lb / 20 kg
- **vacuum motor:** 1.5 hp / 1.17 kW
- **brush speed:** 1,800 rpm
- **vacuum bag capacity:** 9 qt
- **filtration:** 99% effective down to 0.1 microns
- **waterlift:** 14 in / 2,900 mm
- **power cord:** 50 ft / 15 m
- **sound level:** 73 dBA



V-HDU-14

Powerful pick-up combined with durable construction makes this vacuum one of the best upright vacuums in the industry

- **cleaning path width:** 14 in / 360 mm
- **vacuum weight:** 21 lb / 9.5 kg
- **vacuum motor:** dual, 1 hp / 0.75 kW
- **brush speed:** 3,000 rpm
- **vacuum bag capacity:** 5.2 qt
- **waterlift:** 80 in / 2,030 mm
- **power cord:** 40 ft / 12 m
- **sound level:** 69.5 dBA



Tidy-Vac[®] 3e / Tidy-Vac[®] 6

Quietly clean the most noise sensitive areas with this powerful, dry canister vacuum

- 13 in / 330 mm floor tool cleans carpet or hard floors
- **vacuum weight:** 13.2 lbs / 6 kg | 16.8 lbs / 7.6 kg
- **filtration:** 3-stage HEPA 12 filter
- **power cord:** 39 ft / 12 m | 50 ft / 15 m
- **sound level:** 68 dBA | 59.7 dBA



Aspen™ 6 / Aspen™ 6B / Aspen™ 10

CRI Gold vacuum (corded) and CRI Silver (battery) with a lightweight design combined with powerful vacuum performance helps you control your clean

- **vacuum hose:** 12 ft / 3.7 m (4:1 stretch ratio)
- **vacuum weight:**
corded: 13 lb / 5.9 kg | 13.5 lb / 6.1 kg
battery: 19 lb / 8.6 kg
- **filtration:** 4-stage HEPA filtration system
- **power source:**
corded: 50 ft / 15 m
battery: 36 VDC / 10.4 Ah lithium ion
- **sound level:**
corded: 67 dBA
battery: 63 dBA

Wet/Dry Vacuums.

For heavy-duty cleaning.



V-WD-16B

Anywhere cleaning is possible with this portable battery powered unit with 16 gal / 61 L recovery tank

- **tanks:** 16 gal / 61 L recovery tank
- **vacuum motor:** 0.75 hp / 0.56 kW, 3-stage
- **vacuum hose:** 10 ft / 3 m
- equipped with a quick drain hose
- **battery run time:** 4 hours on one charge
- **optional front-mount squeegee cleaning path widths:**
 - 26 in / 660 mm
 - 33 in / 840 mm
 - 39 in / 990 mm
- **sound level:** 75 dBA
- additional accessories sold separately



V-WD-16P

Simple design and large tank capacity for powerful pumpout performance and maximum productivity

- **tanks:** 16 gal / 61 L recovery tank wet capacity
- **vacuum motor:** 1.6 hp / 1.19 kW, 2-stage
- **waterlift:** 107 in / 2,720 mm
- **vacuum hose:** 10 ft / 3 m
- pumpout model
- equipped with a quick drain hose
- **optional front-mount squeegee cleaning path widths:**
 - 26 in / 660 mm
 - 33 in / 840 mm
 - 39 in / 990 mm
- **power cord:** 50 ft / 15 m
- **sound level:** 75 dBA
- additional accessories sold separately



V-WD-15 / V-WD-15S

Powerful motor and large tank capacity for great performance

- **tanks:** 15 gal / 56 L recovery tank
- **vacuum motor:** 1.3 hp / 0.97 kW, 2-stage
- **waterlift:** 92 in / 2,340 mm
- **front-mount squeegee cleaning path widths** (standard on V-WD-15S; optional on V-WD-15):
 - 26 in / 660 mm
 - 33 in / 840 mm
 - 39 in / 990 mm
- **power cord:** 50 ft / 15 m
- equipped with a quick drain hose
- **contractor's tool kit** (standard on V-WD-15; optional on V-WD-15S)
- **sound level:** 80 dBA
- additional accessories sold separately

Easy-to-operate **specialty** machines. The right tools for hard jobs.



with optional Titanium wand

Quick Clean™ 12 Multi-Surface Cleaner

Restorative cleaning performance in an easy to use Multi-Surface Cleaner

- **tanks:**
 - solution: 15 gal / 57 L
 - recovery: 13.5 gal / 51 L
- **solution pump:** 400-1200 psi / 27.6-83 bar
- **waterlift:** 137 in / 3,480 mm
- **power cord:** 40 ft / 12 m, dual
- **sound level:** >75 dBA
- standard accessory: hard surface turbo tool
- optional accessory: Titanium wand



ASC-15 All Surface Cleaner

Multipurpose cleaning machine enables you to clean, rinse, and blow dry hard surfaces

- **tanks:**
 - solution: 15 gal / 57 L
 - recovery: 19 gal / 72 L
- **vacuum motor:** 1.6 hp / 1.19 kW, 3-stage
- **blower:** 2-stage
- **solution pump:** 120 V, 500 psi
- **waterlift:** 117.4 in / 2,980 mm
- can be used as a carpet extractor with optional carpet wand, sold separately
- **power cord:** 25 ft / 8 m, safety yellow
- **sound level:** 82 dBA
- separate vacuum and blower systems for sanitary fixtures



Commercial Dryer/Air Mover

Compact, stackable three-speed air mover dries areas quickly

- stackable
- 3 adjustable air-flow positions
- 3-speeds
- 0.6 hp / 522 Watt motor produces up to 1350 cfm
- **power cord:** 18.5 ft / 5,6 m
- **sound level:** 69 dBA
- optional wheeled hand cart available (PN 9014821)



Operations.

We build most of our machines in Holland, Michigan, at a 240,000 sq. ft. manufacturing and administrative facility. With over 400 distributors throughout North America, our products are used by cleaning personnel and professional contractors across the country in the educational, healthcare, retail, government and commercial markets.

Products.

We offer a complete line of rugged, no-nonsense cleaning machines including scrubbers, burnishers, carpet maintainers, vacuums, spotters, extractors and sweepers. If you've got a cleaning challenge, we've got the right cleaning machine. Contact your local distributor for more information.



Nobles
701 North Lilac Drive
Minneapolis, MN 55422
USA/Canada: +1.800.553.8033
Quebec: +1.800.361.9050
www.nobles.com
nobles@tennantco.com